30" Built-In Bottom Freezer Refrigerator, Panel Ready





Also Available:

BBBF3019IMWE - Ice Maker, Panel Ready BBBF3019IMWESS - Ice Maker, Factory-Installed Stainless Steel Panels





GENERAL PROPERTIES	
Туре	Built-in
Style	Bottom Freezer
Finish	Panel Ready
Metal Back Wall	-
Cooling System	NeoFrost [™] Dual Cooling Technology
Control System	Electronic Controls
Control Display Type & Location	Digital LED Display, Interior
Child Lock	Yes
Connectivity	-

beko

CAPACITY

Total Net Volume	16.4 cu. ft.
Fresh Food Net Volume	11.6 cu. ft.
Freezer Net Volume	4.8 cu. ft.



EVERFRESH+[™] WITH ACTIVE FRESH BLUE LIGHT

Our EverFresh+ with Active Fresh Blue Light technology keeps fresh food fresher three times longer than the average refrigerator – for up to 30 days! Our technology retains vitamins and nutrients that simulates natural lighting conditions, extending the photosynthesis process of fruits and vegetables in your refrigerator.

PREMIUM TECHNOLOGY



IONGUARD®

Advanced lonGuard® technology creates a fresh air environment inside your refrigerator to protect and preserve foods longer and eliminate odor transfer.



FREEZE GUARD

Beko Freeze Guard technology uses an inverter compressor and electronic temperature control system to ensure the freezer continues to work in ambient temperatures as low as 5° F, without any loss of performance.*

*The fridge compartment will not work properly in low temperatures, so we recommend you only use the freezer compartment in low ambient temperatures.



30" Built-In Bottom Freezer Refrigerator, Panel Ready

PERFORMANCE

Fresh Food Temperature Range*	33° F to 46° F
Freezer Temperature Range*	-8° F to 5° F
Environment Temperature Range	Operates in Temperatures Between 32° F and 110° F
Freeze Guard	Yes, Freezer Operates in Temperatures as Low as 5° F
Modes	On/Off Power, Temperature Control, Quick Freeze, Vacation, Sabbath, Economy
Compressor	Dual Compressors
ENERGY STAR® Certified	Yes
Annual Energy Consumption	556 kWh/year

FRESH FOOD FEATURES		
Crispers	1 - Full-Width, Humidity Controlled	
EverFresh+ [™] Crispers	Yes	
Active Fresh Blue Light [™] Crispers	Yes	
Full-Width Deli Drawer	Yes	
Shelves	3 – Full-Depth, Safety Glass (3 Adjustable)	
Total Number of Door Bins	3	
Gallon-Sized Door Bins	2	
Dairy Compartment	Yes	
Odor Control Technology	lonGuard®	
Sabbath Mode	Yes	
Eco-Mode	Yes	
Door Open Alarm	Yes	
Interior Illumination	LED – Side Walls and Ceiling	

FREEZER FEATURES

Freezer Configuration	Drawer
Freezer Drawers / Baskets / Bins	1 Removable Drawer
Freezer Interior Illumination	Yes
Automatic Ice Maker	-
Auto Defrost	Yes

TECHNICAL INFORMATION		
Volts / Frequency	120 V / 60 Hz	
Rated Current (A)	2 A	
Min. Circuit Breaker Size	15 Amp	
Sound Level	44 dBA	
Refrigerant Type	R600a	
Plug Type	NEMA 3-Prong	
Power Cord Length	6 ft.	
Reversible Doors	Yes	

DIMENSIONS & WEIGHT	
Product (H x W x D) (in)	83 3/4 x 29 13/16 x 24 5/16
Height with Doors	83 3 /4
Height of Cabinet	831/2
Depth With Handles	***
Depth Without Handles	24 5/ ₁₆
Depth Without Doors	21 7 /8
Carton (H x W x D) (in)	91 x 33 3/8 x 29 1/2
Product Weight (lbs)	476
Shipping Weight (lbs)	520.3


WARRANTY

Entire Appliance (Parts & Labor)	2-year Full Warranty
Sealed System (Parts Only)	5-year Limited Warranty

* Actual temperatures may vary upon different options


*** Dimension will vary based on panel thickness and door handle design





*Add 1" (25.4 mm) with front leveling feet fully extended **Add 1 3/4" (44.4 mm) for spacers on back


***Dimension varies based on panel thickness and door handle design




(1069 mm)

beko


Electrical Location




Water Location (Models with Ice Maker)




30" Built-In Bottom Freezer Refrigerator, Panel Ready



*Dimension may vary based on panel thickness and door handle design (panel ready model only)



De



NOTE TO THE INSTALLER: All height, width, and depth dimensions are shown in inches (as well as metric). Beko U.S., Inc. reserves the absolute and unrestricted right to change product materials and specifications, at any time, without notice. Please visit our website, www.BekoAppliances.com, or call 888.352.2356 to verify the latest specifications with final dimensional data and other details prior to installation and making a cutout. Applicable product limited warranty information may be found in accompanying product materials, or you may contact your account manager for further details. Proper installation is the responsibility of the installer. Product failure due to improper installation is not covered under the Limited Warranty.