H		
	PRODUCT FICHE	
Energy Label Directiv	e EU2010/30/EU-No65/2014 of ovens(*)	
Brand	Beko	
Model	FSM66003GA	
Energy Efficiency Index per cavity EEI cavity		95,3
Energy efficiency class		Α
Energy consumption (kWh)-Conventional per cycle		0,99
Energy consumption (kWh)-Forced air convection per cycle		0,81
Number of cavity		1
	Electrical	х
Heat source per cavity	Gas	
	Mix	
Usable volume (litres)		72

(*) only for EU countries

7786587885 285374840 AB en_US

		RUCTION BOOKLET(*)	
	PRO	DUCT INFORMATION	
Comply with EU dir	ective 200	9/125/EC – Regulation No 66/2014(*))
Brand		Beko	
Model		FSM66003GA	
Type of oven		Free Standing	х
	(NA) (NI=+ \N/=	Built-in	F4.4
Mass of the appliance	(M) (Net We	ignt) kg	51,4
Number of cavity		Electrical	
Heat source per cavity	,	Gas	Х
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	'	Mix	
Usable volume (litres)			72
	ated oven d	equired to heat a standardised load in a uring a cycle in conventional mode per ergy)EC electric cavity	0,99
Energy consumption required to heat a standardised load in a cavity of an electric heated oven during a cycle in fan-forced mode per cavity(kWh/cycle)(electric final energy) EC electric cavity		0,81	
Energy consumption r cavity of an oven durin (kWh/cycle)(gas final	ng a cycle in	eat a standardised load in a gas-fired conventional mode per cavity (MJ/cycle) gas cavity (1)	
	ng a cycle in	eat a standardised load in a gas-fired fan-forced mode per cavity (MJ/cycle) gas cavity (1)	
Energy Efficiency Inde		· ·	95,3
		n for domestic electric hobs	
	ective 2009	9/125/EC – Regulation No 66/2014(*))
Brand		Beko FSM66003GA	
Model Type of hob		Electrical	х
		Gas	
rype of nob		Ous	
		Mix	
	ne and or ar	Mix	4
	ne and or ar	Mix ea	4
Number of cooking Zo	Radiant Co	Mix ea	4
Number of cooking Zo	Radiant Co	Mix ea oking Zone	4 x
Number of cooking Zo	Radiant Co- Induction C Solid Plates	Mix ea oking Zone ooking Zone is Cooking Zone	×
Number of cooking Zo Heating Technology For circular cooking zone	Radiant Con Induction C Solid Plates s or area:	Mix ea oking Zone ooking Zone	
Number of cooking Zon Heating Technology For circular cooking zone diameter of useful surface electric heated cooking z	Radiant Con Induction C Solid Plates s or area: e area per one, rounded	Mix ea ooking Zone ooking Zone s Cooking Zone Front Left Zone Front Right Zone Front Right Zone	x 22
Number of cooking Zon Heating Technology For circular cooking zone diameter of useful surface electric heated cooking zone	Radiant Con Induction C Solid Plates s or area: e area per one, rounded	Mix ea ooking Zone ooking Zone cooking Zone Front Left Zone Rear Left Zone Front Right Zone Rear Right Zone	x 22 8 18
Number of cooking Zon Heating Technology For circular cooking zone diameter of useful surface electric heated cooking zone	Radiant Con Induction C Solid Plates s or area: e area per one, rounded	Mix ea ooking Zone ooking Zone s Cooking Zone Front Left Zone Rear Left Zone Front Right Zone Rear Right Zone Rear Right Zone Right Zone	x 22 8 18 -
Number of cooking Zon Heating Technology For circular cooking zone diameter of useful surface electric heated cooking zone	Radiant Con Induction C Solid Plates s or area: e area per one, rounded	Mix ea ooking Zone ooking Zone Cooking Zone Cooking Zone Cooking Zone Front Left Zone Front Right Zone Rear Right Zone Rear Right Zone Right Zone Coenter Zone Coenter Zone	x 22 8 18 -
Number of cooking Zo Heating Technology For circular cooking zone diameter of useful surface electric heated cooking zo to the nearest 5 mm (6/cr	Radiant Con Induction C Solid Plates s or area: e area per one, rounded n)	Mix ea ooking Zone ooking Zone s Cooking Zone Front Left Zone Rear Left Zone Front Right Zone Rear Right Zone Right Zone Center Zone Left Zone	x 22 8 18 -
Number of cooking Zo Heating Technology For circular cooking zone electric heated cooking zo to the nearest 5 mm (6/cr For non-circular cooking z areas: length and width of	Radiant Collinduction C Solid Plates so or area: a area per one, rounded n)	Mix ea ooking Zone ooking Zone cooking Zone cooking Zone front Left Zone Front Rear Left Zone Front Right Zone Rear Right Zone Right Zone Center Zone Left Zone Front Left Zone	x 22 8 18
Number of cooking Zo Heating Technology For circular cooking zone diameter of useful surface electric heated cooking z to the nearest 5 mm (6)/co For non-circular cooking a reast cooking a	Radiant Col Induction C Solid Plates s or area: e area per one, rounded n)	Mix ea ooking Zone ooking Zone s Cooking Zone Front Left Zone Rear Left Zone Front Right Zone Rear Right Zone Right Zone Center Zone Left Zone	x 22 8 18
Number of cooking Zo Heating Technology For circular cooking zone diameter of useful surface electric heated cooking z to the nearest 5 mm (Ø/co reas: length and width of surface area per electric h surface area per electric h cooking zone or area, rou	Radiant Col Induction C Solid Plates s or area: e area per one, rounded n)	Mix ea boking Zone boking Zone cooking Zone Front Left Zone Front Right Zone Front Right Zone Rear Right Zone Center Zone Center Zone Left Zone Front Left Zone Front Right Zone Rear Left Zone Front Right Zone Rear Left Zone Front Right Zone Front Right Zone Front Right Zone Front Right Zone	x 22 8 18
Number of cooking Zo Heating Technology For circular cooking zone diameter of useful surface electric heated cooking z to the nearest 5 mm (Ø/co reas: length and width of surface area per electric h surface area per electric h cooking zone or area, rou	Radiant Col Induction C Solid Plates s or area: e area per one, rounded n)	Mix ea ooking Zone ooking Zone Cooking Zone	x 22 8 18
Number of cooking Zo Heating Technology For circular cooking zone diameter of useful surface electric heated cooking z to the nearest 5 mm (Ø/co reas: length and width of surface area per electric h surface area per electric h cooking zone or area, rou	Radiant Col Induction C Solid Plates s or area: e area per one, rounded n)	Mix ea ooking Zone ooking Zone cooking Zone cooking Zone cooking Zone Front Left Zone Rear Left Zone Front Right Zone Rear Right Zone Right Zone Center Zone Left Zone Front Left Zone Rear Left Zone Rear Left Zone Center Zone Left Zone Front Right Zone Rear Left Zone Front Right Zone Rear Right Zone Center Zone	x 22 8 18
Number of cooking Zo Heating Technology For circular cooking zone diameter of useful surface electric heated cooking z to the nearest 5 mm (Ø/co For non-circular cooking z areast ength and width of cooking zone or area, rou nearest 5 mm (LxW)CM	Radiant Co- Induction C Solid Plates s or area: a area per one, rounded m) cones or useful leated inded to the	Mix ea boking Zone ooking Zone s Cooking Zone Front Left Zone Front Right Zone Front Right Zone Rear Right Zone Rear Right Zone Center Zone Left Zone Front Left Zone Front Left Zone Front Left Zone Rear Left Zone Front Left Zone Rear Left Zone Front Right Zone Rear Right Zone Left Zone Left Zone Left Zone Left Zone	x 22 8 18
Number of cooking Zo Heating Technology For circular cooking zone diameter of useful surface electric heated cooking z to the nearest 5 mm (O/co reas: length and width of surface area per electric foothing zone or area, rou nearest 5 mm (LxW)CM Energy consumption per	Radiant Co- Induction C Solid Plates or area: area per one, rounded m) cones or useful heated nded to the	Mix ea ooking Zone ooking Zone Cooking Zone	x 22 8 18
Number of cooking Zo Heating Technology For circular cooking zone diameter of useful surface electric heated cooking z to the nearest 5 mm (60/cr properties of the cooking z reast leagth and width of the cooking zone or area, rou nearest 5 mm (LxW)CM Energy consumption per or area calculated per kg	Radiant Co- Induction C Solid Plates or area: area per one, rounded m) cones or useful heated nded to the	Mix ea ooking Zone ooking Zone cooking Zone cooking Zone cooking Zone front Left Zone Rear Left Zone Front Right Zone Rear Right Zone Right Zone Center Zone Left Zone Front Left Zone Front Right Zone Rear Right Zone Center Zone Left Zone Front Right Zone Front Right Zone Rear Right Zone Rear Right Zone Rear Right Zone Front Right Zone Center Zone Left Zone Front Left Zone	x 22 8 18 193,9
Number of cooking Zo Heating Technology For circular cooking zone diameter of useful surface electric heated cooking z to the nearest 5 mm (6/co reass: 6 mg (2/co reass: 6 mg (2/co reass: 5 mm (LxW)/CM Energy consumption per or area calculated per kg	Radiant Co- Induction C Solid Plates or area: area per one, rounded m) cones or useful heated nded to the	Mix ea boking Zone ooking Zone Cooking Zone Front Left Zone Front Right Zone Front Right Zone Rear Right Zone Center Zone Left Zone Front Left Zone Front Left Zone Center Zone Left Zone Front Left Zone Rear Left Zone Front Left Zone Front Left Zone Front Left Zone Rear Right Zone Left Zone Left Zone Front Left Zone Front Left Zone Front Left Zone	x 22 8 18 193,9 194,6
Type of hob Number of cooking Ze Heating Technology For circular cooking zone diameter of useful surface lectric heated cooking zo to the nearest 5 mm (Ø/ci Ter non-circular cooking a areas: length and width of surface area per electric 1 cooking zone or area, rou nearest 5 mm (LxW)CM Energy consumption per i or area calculated per kg cooking Wh/kg	Radiant Co- Induction C Solid Plates or area: area per one, rounded m) cones or useful heated nded to the	Mix ea ooking Zone ooking Zone cooking Zone cooking Zone cooking Zone front Left Zone Rear Left Zone Front Right Zone Rear Right Zone Right Zone Center Zone Left Zone Front Left Zone Front Right Zone Rear Right Zone Center Zone Left Zone Front Right Zone Front Right Zone Rear Right Zone Rear Right Zone Rear Right Zone Front Right Zone Center Zone Left Zone Front Left Zone	x 22 8 18
Number of cooking Zo Heating Technology For circular cooking zone diameter of useful surface electric heated cooking z to the nearest 5 mm (6/co reass: 6 mg (2/co reass: 6 mg (2/co reass: 5 mm (LxW)/CM Energy consumption per or area calculated per kg	Radiant Co- Induction C Solid Plates or area: area per one, rounded m) cones or useful heated nded to the	Mix ea ooking Zone ooking Zone cooking Zo	x 22 8 18 193,9 194,6
Number of cooking Zo Heating Technology For circular cooking zone diameter of useful surface electric heated cooking z to the nearest 5 mm (6/co reass: 6 mg (2/co reass: 6 mg (2/co reass: 5 mm (LxW)/CM Energy consumption per or area calculated per kg	Radiant Co- Induction C Solid Plates or area: area per one, rounded m) cones or useful heated nded to the	Mix ea ooking Zone ooking Zone 5 Cooking Zone Front Left Zone Rear Left Zone Front Right Zone Right Zone Right Zone Left Zone Left Zone Left Zone Left Zone Left Zone Left Zone Front Right Zone Rear Right Zone Left Zone Left Zone Front Right Zone Rear Right Zone Rear Right Zone Rear Left Zone Front Right Zone Rear Right Zone Rear Right Zone Right Zone Center Zone Left Zone Front Right Zone Right Zone Rear Right Zone Right Zone	x 22 8 18 193,9 194,6
Number of cooking Zo Heating Technology For circular cooking zone diameter of useful surface electric heated cooking z to the nearest 5 mm (0/co areas: length and width of cooking zone or area, rou nearest 5 mm (LxW)CM Energy consumption per or area calculated per kg cooking Wh/kg	Radiant Co- Induction C Solid Plates so a rarea: a rea per cone, rounded n) cones or useful reacted anded to the cooking zone EC electric	Mix ea boking Zone ooking Zone s Cooking Zone Front Left Zone Front Right Zone Front Right Zone Rear Right Zone Rear Right Zone Center Zone Left Zone Front Left Zone Rear Right Zone Rear Right Zone Rear Right Zone Rear Left Zone Front Left Zone Front Left Zone Rear Right Zone Right Zone Center Zone	x 22 8 18 193,9 194,6

(*) only for EU countries

7786587885 285374840 AB en_US

