

Energy Efficiency Class	Energy Efficiency Class	Width	Cooling System Type	Colour
E	-	59.7 cm	NeoFrost	Aluminium srebrna

- ProSmart Inverter Compressor: high efficiency, high durability, low noise
- Reversible Door: adjustable door direction
- Safety Glass: high-durability glass shelves that carry up to 25 kg
- 90° door opening for convenience



Key Features

Product Type	Upright	Fitting Type	Freestanding
Frozen Food Storage Volume (l)	286 L	Height	186.5 cm
Width	59.7 cm	Depth	70.9 cm
Energy Efficiency Class	E	ProSmart Inverter Compressor	Yes
Cooling System Type	NeoFrost	Freezer Position	Upright
Display Type	Tact (Membrane)	Colour	Aluminium srebrna
Noise Emission Class	C		

Gross & Net Volume

Total Gross Volume	313 L	Total Net Volume	286 L
Total Volume (l)	286 L	Frozen Food Storage Volume (l)	286 L

Technologies

ProSmart Inverter Compressor

Yes

Freezer Features

Fast Freeze

Yes

Ice-maker Type

Ice Box

Number of Freezer Drawers

5

Daily Ice-making Capacity (kg/day)

2 kg

Daily Freezing Capacity (kg/day)

17 kg

Daily Freezing Capacity (kg/day)

14.9 kg

Design

Reversible Door

Yes

SmoothFit

Yes

Freezer Position

Upright

Display Position

Electronic display on door –
Kapı üzerinde elektronik
display (Tact)

Display Type

Tact (Membrane)

Control Type

Electronic

Fitting Type

Freestanding

Door Handle Type

Prologue – External Plastic
with Metal Profile

Colour

Aluminium srebrna

Performance & Consumption

Energy Efficiency Class

E

Annual Energy Consumption (kWh/year)

250.23

Daily Energy Consumption (kWh/day)

0.617

Daily Energy Consumption at 32°C (kWh/day)

0.83

Noise Level (dBA)

38 dBA

Climate Class

SN-T

Climate Class

SN-T

Voltage

220 - 240 V

Frequency

50 Hz

Noise Emission Class

C

Maximum Ambient Temperature Required for Satisfactory Operation (°C)

43

Daily Energy Consumption at 16°C (kWh/day)

0.403

Preservation Time at Power Cut (hours)	9	Frozen Food Storage Volume (l)	286 L
Daily Freezing Capacity (kg/day)	14.9 kg		

Dimensions & Weight

Height	186.5 cm	Width	59.7 cm
Depth	70.9 cm	Weight	71 kg
Packaged Height	193.2 cm	Packaged Width	66.1 cm
Packaged Depth	76.2 cm	Packaged Weight	76 kg

Safety


Minimum Ambient Temperature Required for Satisfactory Operation (°C)	10	Open Door Alarm	Yes
---	----	------------------------	-----

Kompresori sa VDE sertifikatom

Naši kompresori, koji su sertifikovani od strane VDE, obezbeđuju svežinu vaše hrane uz dokazanu pouzdanost tokom 25 godina.

Iskusite vrhunsku inovaciju u oblasti Beko rashladnih uređaja, gde su najsavremenija tehnologija i trajni kvalitet naša prednost. Naši frižideri su opremljeni inverter kompresorima koji su detaljno testirani i sertifikovani od strane VDE za životni vek od 25 godina. Ovi kompresori su kamen temeljac funkcionalnosti našeg frižidera, pažljivo dizajnirani da održavaju optimalno okruženje za hlađenje. Uz Beko, ulažete u frižider koji je napravljen za dugovečnost i dizajniran da održava svežu hranu iz dana u dan.





ProSmart Inverter Compressor

High efficiency, high durability, low noise

If your fridge is a humming, gurgling energy-hog, it's time to make the switch. Thanks to its innovative design, the ProSmart Inverter Compressor provides faster cooling with less energy and four times quieter operation than average refrigerator compressors. It adapts to temperature fluctuations quicker, keeps food fresh longer and saves on your energy bills, all at the same time.

Reversible Door

Adjustable door direction to fit your kitchen layout

Some kitchen layouts require that refrigerator doors open in one direction and not the other. Reversible Door allows door hinges to be placed on both the left and the right of the unit, so decide which way your fridge doors open. Plus, you can double your cooling capacity by placing two fridges side by side and reversing the doors of one.



Safety Glass

High-durability glass shelves

Ease your worries of putting that huge and heavy pot in the fridge with Safety Glass. Safety Glass shelves are made up of tempered glass and can carry loads of up to 25 kg. They resist cracks and scratches much better than un-treated glass, so you can store heavy items without a care.

SmoothFit

90° door opening for convenience

Some kitchens have a challenging layout with appliances in awkward places. SmoothFit doors don't go past the side panel when opened 90 degrees, meaning the fridge can easily be positioned at the corner of a room or next to a wall without compromising ease of use. Crispers come all the way out too!

